

## CERL Thesaurus Assisted Searching Output Format

### Description of Elements

#### <record>

<i>content</i>	<b>&lt;info&gt;</b>	Additional information to distinguish one entity from another. Might be displayed in the Assisted Search screen at the beginning of each record.
	<b>&lt;nameForms&gt;</b>	Headings and variant name forms that should be used for query expansion
	<b>&lt;identifiers&gt;</b>	Record identifiers of the underlying source records and the CT record identifiers
<i>attributes</i>	<b>id</b>	CT record identifier (field 001)
	<b>type</b>	Indicates the type of the current record. It may hold one of the following terms: <ul style="list-style-type: none"><li>• placeName</li><li>• personalName</li><li>• imprintName</li><li>• corporateName</li></ul>
	<b>xmlns</b>	XML-Namespace

#### <info>

<i>content</i>	<b>&lt;display&gt;</b>	Full form as given in the first heading field, including filing-qualifiers and non-sorting elements.
	<b>&lt;biographicalData&gt;</b>	Biographical or activity dates of the described entity (first occurrence of field 340)
	<b>&lt;activityNote&gt;</b>	Activity note (first occurrence of field 350)
	<b>&lt;geographicalNote&gt;</b>	Geographical Note. Only used in place names records (first occurrence of field 356)

#### <display>

*content* #PCDATA

#### <biographicalData>

*content* #PCDATA

#### <activityNote>

*content* #PCDATA

#### <geographicalNote>

*content* #PCDATA

**<nameForms>**

<i>content</i>	<b>&lt;headingForm&gt;</b>	Name forms given in the heading fields (2XX), without filing qualifiers.
	<b>&lt;variantForm&gt;</b>	Name forms given in the variant name forms fields (4XX), if the first indicator holds "0" (i.e. non-fictional forms)
	<b>&lt;fictionalForm&gt;</b>	Name forms given in the variant name forms fields (4XX), if the first indicator holds "1" (i.e. fictional forms)

**<headingForm>**

*content* #PCDATA

**<variantForm>**

*content* #PCDATA

**<fictionalForm>**

*content* #PCDATA

**<identifiers>**

*content* **<identifier>** Record identifier from the CERL Thesaurus or from the original record.

**<identifier>**

*content* #PCDATA

*attributes* **type**

Holds one of the following values:

- cerlthesaurus
- other

**source**

Indicates the source file, where the record identifier has been taken from (801 \$a and \$b). Used only, if the type-attribute holds "other"

## Sample Records

```

<srw:recordData>
  <record xmlns='http://sru.cerl.org/ctas/dtd/1.0/' id='cnp00962265' type='personalName'>
    <info>
      <display>Parker, Matthew</display>
      <biographicalData>1504-1575</biographicalData>
      <activityNote>Engl. anglikanischer Theologe</activityNote>
    </info>
    <nameForms>
      <headingForm>Parker, Matthew</headingForm>
      <variantForm>Matthew</variantForm>
      <variantForm>Parker, Matthaues</variantForm>
      <variantForm>Parker, Mattheus</variantForm>
      <variantForm>Parker</variantForm>
      <variantForm>Parkerus, Matthaues</variantForm>
    </nameForms>
    <identifiers>
      <identifier type='cerlthesaurus'>cnp00962265</identifier>
      <identifier type='cerlthesaurus'>cnp00000003</identifier>
      <identifier type='cerlthesaurus'>cnp00039119</identifier>
      <identifier type='cerlthesaurus'>cnp00093779</identifier>
      <identifier type='cerlthesaurus'>cnp00400359</identifier>
      <identifier type='other' source='DE:BSB,VD16'>M V411713 R</identifier>
      <identifier type='other' source='DE:GyGoGBV'>136577865</identifier>
      <identifier type='other' source='DE:PND'>11878966X</identifier>
      <identifier type='other' source='GB:ESTC'>tb033686</identifier>
      <identifier type='other' source='GB:ESTC'>sc093903*1</identifier>
    </identifiers>
  </record>
</srw:recordData>

```

```

<srw:recordData>
  <record id="cnl00004615" type="placeName">
    <info>
      <display>Bonn</display>
      <geographicalNote>Njemačka</geographicalNote>
    </info>
    <nameForms>
      <headingForm>Bonn</headingForm>
      <variantForm>Ara Ubiorum</variantForm>
      <variantForm>Bonn am Rhein</variantForm>
      <variantForm>Bonn, Rhein</variantForm>
      <variantForm>Bunna</variantForm>
      <variantForm>Castra Bonnensia</variantForm>
      <variantForm>Ubiorum Arx</variantForm>
      <variantForm>Bona</variantForm>
      <variantForm>Bona ad Rhenum</variantForm>
      <variantForm>Bonae</variantForm>
      <variantForm>Bonna a Rh.</variantForm>
      <variantForm>Bonna ad Marcum</variantForm>
      <variantForm>Bonna ad Rhenum</variantForm>
      <variantForm>Bonna</variantForm>
      <variantForm>Bonnae</variantForm>
      <variantForm>Bonnae a. Rh.</variantForm>
      <variantForm>Bonnae ad Rh.</variantForm>
      <variantForm>Bonnae ad Rhenum</variantForm>
      <variantForm>Bonnaer</variantForm>
      <variantForm>Bonne</variantForm>
      <variantForm>Bonnia</variantForm>
      <fictionalForm>Damiat</fictionalForm>
      <fictionalForm>Verona Rhenana</fictionalForm>
    </nameForms>
    <identifiers>
      <identifier type="cerlthesaurus">cnl00004615</identifier>
      <identifier type="cerlthesaurus">cnl00000137</identifier>
      <identifier type="other" source="DE:GYMG">SAUR-2:0000398</identifier>
      <identifier type="other" source="HR:NSK">210706110</identifier>
    </identifiers>
  </record>
</srw:recordData>

```